

## CVC Thrombosis Mayo Presentation 2010/ References List

1. Abdullah B, Mohommad N, Sangkar J, Abd Aziz Y, Gan G, Goh Y & Benedict I. Incidence of upper limb venous thrombosis associated with peripherally inserted central catheters. *The British Journal of Radiology*. 2005; 78: 569-600.
2. Aggarwal S, McCauley W. Tunnelled central venous catheter-induced thrombosis: a rare case of superior vena cava syndrome. *American Journal of Emergency Medicine*. 2005; 7(4): 273-7.
3. Aggeli C, Brili S, Frogoudaki A, Barbetseas J, Stafanadis C. Four-month warfarin therapy results in a dissolution of a superior vena cava thrombus. *Echocardiography: A Journal of CV Ultrasound & Allied Technology*. 2004; 21(5): 435-436.
4. Agnelli G, Verso M. Therapy Insight: venous-catheter-related thrombosis in cancer patients. *Nature Clinical Practice Oncology*. 2006 April; 3(4): 214-22.
5. Allen A, Megargell J, Brown D, Lynch F, Singh H, Singh Y, Waybill P. Venous thrombosis associated with the placement of peripherally inserted central catheters. *Journal of Vascular Interventional Radiology*. 2000; 11: 1309-14.
6. Andtbacka R, Babiera G, Singletary E, Hunt K, Maric-Bernstam F, Feig B, Ames F, Ross M, Dejesus Y, Kuerer H. Incidence and prevention of venous thromboembolism in patients undergoing breast cancer surgery treated according to clinical pathways. *Annals of Surgery*. 2006; 243: 96-101
7. Ascher E, Salles-Cunha S, Hingorani A. Morbidity and mortality associated with internal jugular vein thrombosis. *Vascular and Endovascular Surgery*. 2005; 39(4): 335-339.
8. Baker R, Coughlin P, Gallus A, Harper P, Salem H, Wood E. Warfarin reversal: consensus guidelines on behalf of the Australasian Society of Thrombosis and Haemostasis, *The Medical Journal of Australia*, 2004; 181(9): 492-7.
9. Barclay L. Heparin not helpful for thrombosis prophylaxis related to central venous catheter. *Archives of Internal Medicine*, 2003; 163: 1913-1921.
10. Bartley M. Keep venous thromboembolism at bay. *Nursing 2006*. 2006; 36(10): 36-42 also available at [www.nursing2006.com](http://www.nursing2006.com)
11. Bona R. Central line thrombosis in patients with cancer. *Current Opinion in Pulmonary Medicine*. 2003; 9(5): 364-6.
12. Camara D. Minimizing risks associated with peripherally inserted central catheters in the NICU, *The American journal of Maternal/Child Nursing*. 2001; 26(1): 17-22.
13. Caprini J, Arcelius J, et al. State-of-the-art venous thromboembolism prophylaxis. *Scope*. 2001; 8: 228-240.
14. Carr K. Physician compliance with warfarin prophylaxis for central venous catheters in patients with solid tumors. *Journal of Clinical Oncology*. 2000; 18(21): 3665-7.
15. Central Venous Catheter Clot Assessment. 2006 (viewed 21/11/2006) also at [www.cathflo.com/nurses/2\\_0\\_nurses.jsp](http://www.cathflo.com/nurses/2_0_nurses.jsp)
16. Cesaro S. Anticoagulation prophylaxis for CVC-related thrombosis. *Proceedings of the MASCC/ISOO 16th International Symposium, Supportive Care in Cancer*. Florida. 2004.

17. Chaitowitz I, Heng R, Bell K. Managing peripherally inserted central catheter-related venous thrombosis: How I do it. *Australasian Radiology*. 2006; 50: 132-35.
18. Chemaly R, de Parres J, Rehm S, et al. Venous thrombosis associated with peripherally inserted central catheters: A retrospective analysis of the Cleveland clinical experience. *Clinical Infectious Diseases*. 2002; 34: 1179-83.
19. Cheong K, Perry D, Karapetis C, Koczwara, B. High rate of complications associated with the peripherally inserted central venous catheters in patients with solid tumours, *International Medical Journal*. 2004; 34: 234-38.
20. Climo M, Diekema D, Warren D, et al. Prevalence of the use of Central Venous Access Devices within and outside of the intensive care unit: Results of a survey among hospitals in the prevention epicentre program of the Centers for Disease Control and Prevention. *Infection Control and Hospital Epidemiology*. 2003; 24(12): 942-945
21. Cortelezzi A, Fracchiolla N, Maisonneuve P, et al. Central venous catheter-related complications in patients with Hematological malignancies: a retrospective analysis of risk factors and prophylactic measures, *Leukemia & Lymphoma*. 2003; 44(9): 1495-1501.
22. Cortelezzi A, Moia M, Falanga A, et al. Incidence of thrombotic complications in patients with haematological malignancies with central venous catheters: a prospective multicentre study. *British Journal of Haematology*. 2005; 129: 811-817.
23. Couban S, Goodyear M, Burnell M, et al. Randomized placebo-controlled study of low-dose warfarin for the prevention of central venous catheter-associated thrombosis in patients with cancer, *Journal of Clinical Oncology*. 2004; 23(18): 4063-69.
24. Cunningham M, White B, Hollywood D, O'Donnell J. Primary thromboprophylaxis for cancer patients with central venous catheters: a reappraisal of the evidence, *British Journal of Cancer*. 2006. , Vol. 94, No. 2, 189-94.
25. Daniels C. Management of Central Venous Catheter Occlusions. *Pharmacy Update*. November/ December 1999. Also at [www.cc.nih.gov/phar/updates/99nov-dec.html](http://www.cc.nih.gov/phar/updates/99nov-dec.html)
26. Davidson B. Controversies in pulmonary embolism and deep venous thrombosis. *American Family Physician*. 1999; 60: 1969-80.
27. De Cicco M, Matovic M, Balestreri L, et al. Central venous thrombosis: an early and frequent complication in cancer patients bearing long term silastic catheter. A prospective study. *Thrombosis Research*. 1997; 86(2): 101-113.
28. Di Nisio M, Middeldorp S, Buller H. Direct Thrombin Inhibitors. *The New England Journal Medicine*. 2005; 353: 1028-40.
29. Eastman M, Khorsand M, Maki D, et al. Central venous device-related infections and thrombosis in patients treated with moderate dose continuous-infusion interleukin-2, *Cancer*. 2001; 9(4): 806-814.
30. Fijnheer R, Paijamsn B, Verdonck L, et al. Factor V Leiden in central venous catheter-associated thrombosis. *British Journal of Haematology*. 2002;118: 267-270.
31. Gaitini D, Beck-Razi N, Brenner B. Prevalence of upper extremity deep venous thrombosis diagnosed by color doppler duplex sonography in cancer patients with central venous catheters. *Journal of Ultrasound Medicine*. 2006; 25: 1297-1303.

32. \*Geerts W, Pineo G, Heit J, et al. Prevention of Venous Thromboembolism, *Chest*. 2004; 26(3): S338-400. Also at [www.chestjournal.org](http://www.chestjournal.org)
33. Gelfand E, Piazza G, Goldhaber S. Venous thromboembolism guidebook. *Critical Pathways in Cardiology*. 2002; 1(1): 26-43.
34. Gorski L, Czapelwski L. Managing complications of midlines and PICCs. *Nursing2005*. 2005; 35(6): 68-69. Also at [www.nursing2005.com](http://www.nursing2005.com)
35. Grove R, Pevec W. Venous thrombosis related to peripherally inserted central catheters. *Journal of Vascular Interventional Radiology*. 2000; 11: 837-40.
36. Hadaway L. Keeping catheters clear with low-dose warfarin. *Nursing2004*. 2004; October: 73. Also at [www.nursing2004.com](http://www.nursing2004.com)
37. Hadaway L. Major thrombotic and non thrombotic complications: loss of patency. *Journal of IV Nursing*. 1998; 21(5S): S143-160.
38. Heaton D, Hann D, Inder A. Minidose (1 mg) warfarin as prophylaxis for central vein catheter thrombosis, *Internal Medicine Journal*. 2002; 32: 84-88.
39. Hong A, Cook D, Sigouin C, Warkentin T. Central venous catheters and upper-extremity deep-vein thrombosis complicating immune heparin-induced thrombocytopenia. *Blood*. 2003; 101(8): 3049-51.
40. Jackson A. A battle in vein, infusion phlebitis. *Nursing Times*. 1998; 94(4): 68-71.
41. \*Joffe H, Kucher N, Tapson V, Goldhaber S. Upper-extremity deep vein thrombosis: a prospective registry of 592 patients. *Circulation - Journal of the American Heart Association*. Sept 2004; 1605-1611. Also at [www.circulationaha.org](http://www.circulationaha.org)
42. Kenney B, David M, Bensoussan A. Anticoagulation without catheter removal in children with catheter-related central vein thrombosis. *Journal of Pediatric Surgery*. 2004; 31(6): 816-18.
43. King M, Rasnake M, Rodriguez R, et al. Peripherally inserted central venous catheter-associated thrombosis: retrospective analysis of clinical risk factors in adult patients, *Southern Medical Journal*. 2006; 99(10): 1073-77.
44. Klerk C, Smorenburg S, Buller H. Thrombosis prophylaxis in patient populations with a central venous catheter: a systematic review, *Archives of Internal Medicine*. 2003; 163(16): 1913-21.
45. Kokotis K. Preventing chemical phlebitis. *Nursing98*. 1998; November: 41-46. Also at [www.spingnet.com](http://www.spingnet.com)
46. Kuriakose P, Colon-Otero G, Paz-Fumagalli R. Risk of deep venous thrombosis associated with chest versus arm central venous subcutaneous port catheters: a 5-year single-institution retrospective study. *Journal of Vascular Interventional Radiology*. 2002; 13(2): 179-184.
47. \*Kuter D. Thrombotic complications of central venous catheters in cancer patients. *The Oncologist*. 2004; 9: 207-216. Also at [www.TheOncologist.com](http://www.TheOncologist.com)
48. Lancaster SL, Owens A, Bryant AS, Ramey LS, Nicholason J, Gossett K, Forni JT and Padgett TM. Upper-Extremity Deep Vein Thrombosis. *American Journal of Nursing* 2010 (May); 110 (5); 48-52.
49. Lee A, Levine M, Butler G, et al. Incidence, risk factors and outcomes of catheter-related thrombosis in adult patients with cancer. *Journal of Clinical Oncology*. 2006; 24(9): 1404-08.
50. Lyons A, Petrucelli R. 1987. *Medicine. An Illustrated History*. Abradale & Abrams, New York. p: 507-508.

51. Magagnoli M, Castagna L, Masci G, Santoro A. Low-dose warfarin prophylaxis for catheter-associated thrombosis in cancer patients. Can it be safely associated with 5-fluorouracil-based chemotherapy? *The Oncologist*. 2004; 9: 594-95.
52. Magagnoli M, Masci G, Castagna L, et al. Prophylaxis of central venous catheter-related thrombosis with minidose warfarin in patients treated with high-dose chemotherapy and peripheral-blood stem-cell transplantation: retrospective analysis of 28 cancer patients. *American Journal of Hematology*. 2006; 81: 1-4.
53. Magagnoli M, Masci G, Castagna L, et al. Prophylaxis of central venous catheter-related thrombosis with minidose warfarin: analysis of its use in 427 cancer patients, *Anticancer Research*. 2005; 25(4): 3143-7.
54. Mainwaring C, Naylor E, Jerwood S, et al. Superior venocaval obstruction secondary to central venous catheter-related thromboses in two patients with metastatic colorectal carcinoma receiving weekly 5-fluorouracil. Should adjusted-dose warfarin be used as a thromboprophylaxis? *Blood Coagulation & Fibrinolysis*. 2002; 13(8): 749-53.
55. Male C, Chait P, Andrew M. Central venous line-related thrombosis in children: association with central venous line location and insertion technique. *Blood*. 2003; 101(11): 4273-4278.
56. Mayo D. Catheter-related thrombosis, *Journal of Intravenous Nursing*. 2001; 24(35): 513-22.
57. Mehall J, Saltzman D, Jackson R, Smith S. Fibrin sheath enhances central venous catheter infections. *Critical Care Medicine*. 2002; 30(4): 908-912.
58. Monreal M, Devant E. Thrombotic complications of central venous catheters in cancer patients, *Acta Haematologica*. 2001; 106: 69-72.
59. Moureau N. Vascular safety: it's all about PICCs. *Nursing Management*. 2006; May: 22-37. Also at [www.nursingmanagement.com](http://www.nursingmanagement.com)
60. Ngu A, Murphy S. A theory-based intervention to improve nurses' knowledge, self-efficacy, and skills to reduce PICC occlusion. *Journal of Infusion Nursing*. 2005; 28(3): 173-181.
61. Ong B, Gibbs H, Cathchpole I, et al. Peripherally inserted central catheters and upper extremity deep vein thrombosis. *Australian Radiology*. 2006; 50: 451-54.
62. Otten T, Stein P, Patel K, et al. Thromboembolic disease involving the superior vena cava and brachiocephalic veins. *Chest*. 2003; 123(3): 809-812.
63. Penney-Timmons E, Sevedge S. Outcome data for peripherally inserted central catheters used in an acute care setting. *Journal of Infusion Nursing*. 2004; 27(6): 431-36.
64. Prandoni P, Bernardi E. Upper extremity deep thrombosis. *Current Opinion in Pulmonary Medicine*. 1999; 5(4): 222-6.
65. Racadio J, Doellman D, Johnson N, et al. Pediatric peripherally inserted central catheters: complication rates related to catheter tip location. *Pediatrics*. 2001; 107(2): 28-32. Also at [www.pediatrics.org/cgi/content/full/107/2/e28](http://www.pediatrics.org/cgi/content/full/107/2/e28)
66. Randolph A, Cook D, Gonzales C, Andrew M. Benefit of heparin in central venous and pulmonary artery catheters - a meta-analysis of randomized controlled trials. *Chest*. 1998; 113(1): 165-171.
67. Ratcliffe M, Broadfoot C, Davidson M, et al. Thrombosis, markers of thrombotic risk, indwelling central venous catheters and anti thrombotic prophylaxis using low-dose warfarin in subjects with malignant disease. *Clinical Laboratory and Haematology*. 1999; 21: 353-357.

68. Rosen M, Latta I, Ng W. Handbook of Percutaneous Central Venous Catheterisation. 1981. WB Saunders Company LTD., pp 167.
69. Shah P, Shah V. Continuous heparin infusion to prevent thrombosis and catheter occlusion in neonates with peripherally placed percutaneous central venous catheters. The Cochrane Database of Systemic Reviews. 2005; 2: no page number. Also at <http://gateway.ut.ovid.com/gw1/ovidweb.cgi>
70. Shea C, Chang G, Rahimi R, et al. The incidence of symptomatic, PICC-related venous thrombosis in Hospitalized patients with inflammatory bowel disease: 1180. The American College of Gastroenterology. 2006; 101S: s460.
71. Stokowski G, Steele, D and Wilson, D. The use of ultrasound to improve practice and reduce complication rates in peripherally inserted central catheter insertions. Journal of Infusion Nursing. 2009; May/June, 32(3): 145-153.
72. Suter S. The History of Poiseuille's Law. Annual Review of Fluid Mechanics. 1993; 25:1-19
73. Taylor M. A fascination with phlebitis. JVAD - Journal of Vascular Access Devices. 2000; Fall: 24-28.
74. Timsit J, Farkas J, Boyer J, et al. Central vein catheter-related thrombosis in intensive care patients: incidence, risks factors, and relationship with catheter-related sepsis, Chest. 1998; 114: 207-213.
75. Van Rooden C, Schippers E, Barge R, et al. Infectious complications of central venous catheters increase the risk of catheter-related thrombosis in hematology patients: a prospective study. Journal of Clinical Oncology. 2005; 23(12): 2655-60.
76. Van Rooden C, Rosendaal F, Meinders A, et al. The contribution of factor V Leiden and prothrombin G20210A mutation to the risk of central venous catheter-related thrombosis. Haematologica. 2004; 89(2): 201-6.
77. \*Verso M, Agnelli G. Venous thromboembolism associated with long-term use of central venous catheters in cancer patients. Journal of Clinical Oncology. 2003; 21(19): 3665-3675. Also at [www.jco.org](http://www.jco.org)
78. Volkow P, Cornejo-Juarez P, Arizpe-Bravo A, et al. Catheter-related septic thrombophlebitis of the great central veins successfully treated with low-dose streptokinase thrombolysis and antimicrobials. Thrombosis Journal. 2005; 3:11. Also at [www.thrombosisjournal.com/content/3/1/11](http://www.thrombosisjournal.com/content/3/1/11)
79. Walshe L, Malak S, Eagan J, Sepkowitz K. Complication rates among cancer patients with peripherally inserted central catheters. Journal of Clinical Oncology. 2002; 20(15): 3276-3281.

\* Key article